



TEST REPORT

To : OPC RESOURCES
78 Tingkat Binjai 12,
Taman Sri Rambai,
14000 Bukit Mertajam,
Pulau Pinang, Malaysia.

Attn: Mr. P.C.Ooi (Eric)

Report No. : IP1506-0379

Page No : 1 of 5

Date of Issue : 01/07/2015

The following sample(s) was(were) identified by the customer as :

NATMOS ANTI MOSQUITOES SPRAY

Date of Sample Received : 25/06/2015

Date of Testing : 25/06/2015 to 01/07/2015

Objective :

Determination of Cadmium, Lead, Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBBS) and Polybrominated Diphenyl Ethers (PBDEs) in accordance with EU Directive 2011/65/EU (RoHS).

Conclusion :

Test Required	Compliance
EU Directive 2011/65/EU (RoHS) (Cd, Pb, Hg, Cr6+, PBBS and PBDEs)	Comply

Remark : Sampled and submitted by OPC RESOURCES

Test Performed by : Bong Shin Yuan/Nurul Fitriyah

Signed for and on behalf of
NM LABORATORY SDN. BHD.

Yeap Cheo Mooi, M.Sc., AMIC
Consulting Chemist
IKM No. A/1913/4300/2002

Customer : OPC RESOURCES

Date of Issue : 01/07/2015

Report No. : IP1506-0379

Page No. : 2 of 5

Sample Photograph(s):



Standard Method / Equipment / Technique Description:

Method Ref.No.	Standard Method	Method Description/Title
M-1	USEPA Method 3052	Microwave assisted acid digestion of siliceous and organically based matrices
	USEPA Method 6010C	Inductively Coupled Plasma-Atomic Emission Spectroscopy
M-2	USEPA METHOD 3060A	Alkaline digestion for Hexavalent Chromium
	USEPA METHOD 7196A	Chromium Hexavalent-Colorimetric measurement by UV/Vis Spectroscopy
M-3	-	Liquid-Liquid Extraction

Signed for and on behalf of
NM LABORATORY SDN. BHD.

Yeap Cheo Mooi, M.Sc., AMIC
Consulting Chemist
IKM No. A/1913/4300/2002

**Customer** : OPC RESOURCES**Date Of Issue** : 01/07/2015**Report No.** : IP1506-0379**Page No.** : 3 of 5**Test Results(s) :**

Parameter	Result	Unit	Method Ref. No	MDL; mg/kg	ROHS Limit; mg/kg
Cadmium (as Cd)	ND(<0.5)	mg/kg	M-1	0.5	100
Lead (as Pb)	ND(<1)	mg/kg	M-1	1	1000
Mercury (as Hg)	ND(<5)	mg/kg	M-1	5	1000
Hexavalent Chromium	ND(<1)	mg/kg	M-2	1	1000
Monobromobiphenyl	ND(<5)	mg/kg	M-3	5	-
Dibromobiphenyl	ND(<5)	mg/kg	M-3	5	-
Tribromobiphenyl	ND(<5)	mg/kg	M-3	5	-
Tetrabromobiphenyl	ND(<5)	mg/kg	M-3	5	-
Pentabromobiphenyl	ND(<5)	mg/kg	M-3	5	-
Hexabromobiphenyl	ND(<5)	mg/kg	M-3	5	-
Heptabromobiphenyl	ND(<5)	mg/kg	M-3	5	-
Octabromobiphenyl	ND(<5)	mg/kg	M-3	5	-
Nonabromobiphenyl	ND(<5)	mg/kg	M-3	5	-
Decabromobiphenyl	ND(<5)	mg/kg	M-3	5	-
Sum of PBBs	-	-	-	-	1000
Monobromodiphenyl ether	ND(<5)	mg/kg	M-3	5	-
Dibromodiphenyl ether	ND(<5)	mg/kg	M-3	5	-
Tribromodiphenyl ether	ND(<5)	mg/kg	M-3	5	-
Tetrabromodiphenyl ether	ND(<5)	mg/kg	M-3	5	-
Pentabromodiphenyl ether	ND(<5)	mg/kg	M-3	5	-
Hexabromodiphenyl ether	ND(<5)	mg/kg	M-3	5	-
Heptabromodiphenyl ether	ND(<5)	mg/kg	M-3	5	-
Octabromodiphenyl ether	ND(<5)	mg/kg	M-3	5	-
Nonabromodiphenyl ether	ND(<5)	mg/kg	M-3	5	-
Decabromodiphenyl ether	ND(<5)	mg/kg	M-3	5	-
Sum of PBDEs	-	-	-	-	1000

Signed for and on behalf of
NM LABORATORY SDN. BHD.Yeap Cheo Mooi, M.Sc., AMIC
Consulting Chemist
IKM No. A/1913/4300/2002



NM Laboratory Sdn Bhd

563645-P
78 & 80, Lorong Perda Selatan 1, Bandar Perda, 14000 Bukit Mertajam, PENANG, MALAYSIA.
t 604-538 8081 • 538 8082 • 537 8082 f 604-537 8084 e enquiry@nmlab.com.my
www.nmlab.com.my



Customer : OPC RESOURCES
Date of Issue : 01/07/2015

Report No. : IP1506-0379
Page No. : 4 of 5

Note(s) : The test portion was Totally Dissolved for Cadmium, Lead & Mercury Test by using pre-conditioning method as mentioned above.

Signed for and on behalf of
NM LABORATORY SDN. BHD.


Yeap Cheo Mooi, M.Sc., AMIC
Consulting Chemist
IKM No. A/1913/4300/2002



Customer : OPC RESOURCES
Date of Issue : 01/07/2015

Report No. : IP1506-0379
Page No. : 5 of 5

Flow chart for USEPA Method 3052 / 6010C/ USEPA Method 3060A/7196A/EN ISO 3613/ USEPA Method 3540C



Signed for and on behalf of
NM LABORATORY SDN. BHD.

Yeap Cheo Mooi, M.Sc., AMIC
Consulting Chemist
IKM No. A/1913/4300/2002

- End of Report -



GENERAL TERMS AND CONDITIONS

This report / certificate by NM Laboratory Sdn. Bhd., herein referred to as NML, is in accordance with and subject to the terms and conditions herein contained:

1. The sample(s) submitted by the customer shall be tested / analysed according to any published standard method or non-published method as discussed and agreed upon by the customer and NML. In the absence of any written instruction, the customer is deemed to have agreed and accepted the standard method or technique used by NML in the testing / analysis of sample(s). However, NML shall state in the report / certificate the standard method or technique used, where appropriate.
2. This report / certificate is not a certificate of quality. The result(s) of testing / analysis performed by NML is applicable to the particular sample(s) received at the time of testing / analysis. They do not indicate or imply that NML approves, recommends or endorses the manufacturers or suppliers or users of products and it shall not be used to imply product certification.
3. The overleaf test / analysis result(s) is / are based solely on the sample(s) submitted by the customers. NML assumes no responsibility for the accuracy of information on the name, type, class, brand or model number of products or any information supplied by the customers.
4. This report / certificate is only valid when signed by an authorized chemist or approved signatory of NML. The report / certificate shall not be reproduced except in full by NML.
5. Material amendments to this report / certificate after issue shall be made only in the form of a further document, or a complete new report / certificate.
6. The integrity of the sample(s) and results(s) are dependent on the quality of sampling. The result(s) apply only to the actual sample(s) tested. Some methods may be modified to accommodate transportation and treatment. Sample(s), if drawn for analysis, will not be retained by the NML for more than one month, except with special instruction from customer.
7. NML shall be held harmless from any liability arising out of the use of such test / analysis result(s).
8. Presentation of test / analysis result(s) for detection limit and unit of measurement shall be agreed by NML and customers, normally decided by NML for technical reasons and good practice in analytical measurement.
9. Where relevant, a statement of compliance / non-compliance with requirement and / or specifications shall be presented when requested by customers. The statement shall be appropriate and needed for interpretation and guidance only.
10. This report / certificate shall not be used for advertising and legal proceeding purpose without prior written approval of NML.